

H

LABELS AND LABELING


ATTACHED, ARE MOUNTED COPIES OF ALL CURRENT LABELS AND
LABELING PIECES.



phospho-soda[®]

regular

GENTLE
REGULATED
AND
PREDICTABLE
ELIMINATION



The
MODERN
ENEMA
Described in
Enclosed
Circular



phospho-soda

regular

DOSAGE: For most effective results, 4 teaspoonfuls on arising, or at least 30 minutes before a meal, or at bedtime. Take in $\frac{1}{2}$ glass of water and follow with a full glass of water. Children 10 years old or older: one-half the adult dose; 5 to 10 years: one-quarter the adult dose. Dilute as above.

C. B. FLEET CO., INC.
LYNCHBURG, VIRGINIA
24505



22



regular phospho-soda

NDC 132-108-20



**BUFFERED
LAXATIVE**

regular

GENTLE
REGULATED
AND
PREDICTABLE
ELIMINATION




regular phospho-soda



phospho-soda
flavored

GENTLE
REGULATED
AND
PREDICTABLE
ELIMINATION



The
MODERN
ENEMA
Described in
Enclosed
Circular



phospho-soda
flavored

DOSAGE: For most effective results, 4 teaspoonfuls on arising, or at least 30 minutes before a meal, or at bedtime. Take in 1/2 glass of water and follow with a full glass of water. Children 10 years old or older: one-half the adult dose; 5 to 10 years: one-quarter the adult dose. Dilute as above.

C. B. FLEET CO., INC.
LYNCHBURG, VIRGINIA
24505



6



flavored **phospho-soda**

NDC 132-109-20

Fleet
BRAND

**BUFFERED
LAXATIVE**

flavored

GENTLE
REGULATED
AND
PREDICTABLE
ELIMINATION



flavored **phospho-soda**

G. I. SERIES
PREPARATION FOR — USING
PHOSPHO®-SODA

1. One hour before evening meal, take three tablespoonfuls PHOSPHO-SODA in a glass of water, and follow with one-

BARIUM ENEMA
PREPARATION FOR — USING
PHOSPHO®-SODA

Patient's Name _____

ELIMINATION OF BARIUM
FOLLOWING G. I. SERIES
USING PHOSPHO®-SODA

ON _____

INTRAVENOUS PYELOGRAPHY
PREPARATION FOR — USING
PHOSPHO®-SODA

_____ tablespoonfuls of
_____ and follow with _____

1. One hour before a light evening meal, take three tablespoonfuls PHOSPHO-SODA in a glass of water, and follow

phospho-soda

regulated elimination . .
predictable timing

directions for use

PHOSPHO-SODA should preferably be taken on an **empty** stomach; it is most effective when taken at least 30 minutes before breakfast or other meals, or at bedtime for overnight action.

as a laxative

ADULTS—Two to four teaspoonfuls, diluted with one-half glass of cold water. Follow with a full glass of water for completely satisfactory laxative action.
CHILDREN—10 years old or older, one-half the adult dose. 5 to 10 years of age, one-quarter the adult dose.

as a purgative

ADULTS—Four to eight teaspoonfuls, diluted as above. After alcoholic or

771 10000

eating excesses, a teaspoonful at night, followed by four teaspoonfuls on arising, diluted as above.

CHILDREN—10 years old or older, one-half the adult dose. 5 to 10 years of age, one-quarter the adult dose.

warning

Frequent or prolonged use of laxatives may result in dependence. Take only when needed or when prescribed by a physician. Do not use when nausea, vomiting or abdominal pain is present.

supplied

PHOSPHO-SODA, regular and flavored, is available in bottles containing 2½, 6, and 16 fl. oz.

C. B. FLEET CO., INC.
P. O. Box 1100
Lynchburg, Virginia 24505

